Name Date Completed
---------------------

## **Learning Guide**

CIT Distance Learning FPF Introductory Topics & Rules

Instructions: Fill in the blanks for each item below using the presentations and supporting documents from the CIT Distance Learning Module.
North Carolina General Statutes
<ul> <li>Regulatory authority includes</li></ul>
<ul><li>2</li></ul>
<ul> <li>A temporary food establishment permit can be issued for up to days in one location, with a one-time extension of up to days.</li> <li>Name five exemptions that are listed under G.S. 130A-250:</li> <li>1</li> </ul>
2
<ul> <li>List five legal remedies found under G.S. 130A-17 through 130A-24:</li> <li>1.</li> <li>2.</li> </ul>
3
<ul> <li>Rules Governing the Sanitation of Lodging Establishments 15A NCAC 18A .1800</li> <li>A Bed &amp; Breakfast Home can have a maximum of guest rooms. A Bed &amp; Breakfast Inn can have at least but not more than guest rooms.</li> </ul>
<ul> <li>Furnishings include:</li> <li>1</li></ul>
<ul> <li>Guests <u>can/cannot</u> scoop ice from a facility's ice machine to fill a personal cooler. (circle one)</li> <li>In a Bed &amp; Breakfast, a dishmachine must have a option if it will be used to sanitize</li> </ul>

• Sanitizing is/is not required for eating and drinking utensils provided in guest rooms. (circle one)

in guest rooms must be \_\_\_\_\_\_ before washing multi-use utensils.

Light intensity of at least foot-candles at used for:  1	
1	
2	
3	
4 The upper sheet must be folded over bed cover at top not Carts used for	
The upper sheet must be folded over bed cover at top not Carts used for	
not Carts used for	end at least inches if bed covers are
Carts used for	
A lodging facility <u>can/cannot</u> obtain a transitional pe	rmit. (circle one)
Confinement	
<u>Confinement</u>	
Rules Governing the Sanitation of Local Confinemen	at Facilities 15A NCAC 18A 1500
Licensing agency is NC Division of	
	·
EH does/does not issue permit. (circle one)	
Inspection conducted per year.	6 11.
Each provided with a toilet and handwashing	-
Each provided with bathing facil	
Potentially hazardous foods are required to be held a	t°F or below, or°F or above.
A food-stem thermometer is/is not required for chec	king food temperatures. (circle one)
<u>ential Care Facilities</u>	
	E 1711 151 NGA G 101 1600
Rules Governing the Sanitation of Residential Care	
License or certificate obtained from NC Division of	
·	
EH <u>does/does</u> not issue a permit. (circle one)	
Inspection once per year prior to	
If dangerous conditions are found,	_ notify agency responsible for the facility b
phone or other direct means.	
Re-inspection within days after request from	manger to improve classification.
classification cannot exceed seve	
construction or renovation.	g g
Soap and pro	wided
A three-compartment sink is/is not required for ware	vided.
Sanitizing of multi-use utensils <u>is/is not</u> required. (ci	
	,, and other
hazardous products shall be properly stored as require	red.
Day Service Facilities	
Rules Governing the Sanitation of Adult Day Service	Facilities 15A NCAC 18A .3300

•	EH does/does not issue a permit. (circle one)
•	Unannounced inspection per year.
•	Verbal contact within hours to the license agency/certifying agency if dangerous
	conditions exist, inspection report sent to agency within working days documenting the
	hazardous conditions.
•	Hot water requirement of°F°F in areas accessible to participants.
•	Clothes changing area surfaces sanitized using ppm chlorine solution.
•	Rooms used by participants maintained at a temperature of°F°F.
•	List four instances when participants must wash their hands:
	1
	2.
	3.
	4
Sumi	mer Camps
Sum	
•	Rules Governing the Sanitation of Summer Camps 15A NCAC 18A .1000
•	A Summer Camp provides food lodging accommodations to participants.
•	A Transitional Permit expires days from issuance when a change of ownership occurs.
•	Unannounced re-inspection within days after request of operator (to raise a letter grade)
•	Camp beds spaced to provide at least inches between beds, at least feet between
	camper heads.
•	Warewashing equipment required/not required to meet .2600 Rules. (circle one)
•	Potentially hazardous foods are required to be held at°F or below, or°F or above.
•	A thermometer is required in each where is can be easily read.
	•
<u>Prim</u>	itive Camps
•	Rules Governing the Sanitation of Primitive Camps 15A NCAC 18A .3500
	· · · · · · · · · · · · · · · · · · ·
•	A Primitive Experience Camp <u>is/is not</u> serviced by a public electrical service provider (circle one)
•	Provides overnight outdoor primitive camping for consecutive hours or more per week
•	A permit and an permit are issued by
_	EH prior to operation.
•	Plan of operation submitted to EH at least days prior to permitting.
•	Seasonal permit application submitted to EH at least days prior to opening.
•	Transitional Permits <u>can/cannot</u> be issued. (circle one)
•	Bacteriological samples for on-site water supply submitted days prior to operation.
•	Inspections: Once per season if operating than 6 months, once each six-month period
	if operating than six months.
•	When treating off-site drinking water:
	1. Boil water for at least minutes,
	2. Filter to remove and,
	3. Treated with a least ppm free chlorine residual for at least minutes, OR
	4. A minimum of drops of 2% tincture per liter of water.
	5. If using tablets, follow manufacturer's instructions in addition to or

## **Resident Camps**

•	Rules Governing the Sanitation of Resident Camps 15A NCAC 18A .3600
•	A Resident Camp provides food lodging for consecutive hours or more per week.
•	Limited Resident Camp limited to campers and staff per session.
•	Prior to opening, operators must provide written documentation to the Health Department that:
	•
	•
	•
	•
•	Seasonal application submitted EH days prior to opening.
•	Water sample collected days prior to opening.
•	Inspections: Once per season if operating less than months, once per six-month period if operating more than months.
•	Camp beds spaced to provide at least inches between beds, at least feet between camper heads.
•	Toilets provided at a minimum of one toilet percampers and staff, required seats for males for each urinal.
•	Potentially hazardous foods held at°F or below and°F or above (except roast beef).
•	For manual warewashing of multi-use utensils, at least a compartment sink is required.
•	Adequate hot water provided:
	• At least°F when chemicals used for sanitizing.
	• At least°F when hot water used for sanitizing.
Food	borne Illnesses
1004	DOTTIC ATTRICTS
•	Sources, symptoms, and preventive measures for each illness.
•	Key concepts of three-legged stool; they are,, and
	·
Mass	<u>Gathering</u>
•	Congregation of more than people more than hours.
•	Application required at least days before event.
•	Inspection conducted days prior to event.
•	Activity and camping areas not within feet of any residence unless occupant or owner has
	signed a written waiver that has been
•	Parking spaces provided on a basis of space for every persons expected.
•	Water supply provided:
	• gallons person per day for drinking/washing
	• gallons per person per day for drinking/washing/bathing
•	Water hauled from off-site and stored in tanks; tanks cleaned/sanitized using ppm chlorine
	for at least hours.
•	Post gathering cleanup required within week after gathering.

## **Migrant Housing**

•	NC Department of conducts annual housing registration, inspection, and compliance program for migrant housing.
_	Environmental Health inspects:
•	*
	1
	3
•	Application for inspection submitted to NCDOL within days of occupancy.
•	EH submits the form entitled detailing
	the findings on the inspection (for each housing unit inspected).
<u>.1700</u>	Rules
•	The setback for a well constructed on or after is 100 feet from a septic tank or nitrification field.
•	The well casing must terminate at least inches above the land surface if constructed after
	July 1, 1993 and must terminate at least inches above the land surface if constructed before
	July 1, 1993.
•	For wells constructed after July 1, 1993, a hose bib must be provided with
	device for obtaining water samples.
•	What are three requirements for a concrete slab around the well head?
	1
	2
	3.
•	When disinfecting a water supply, a chlorine residual of at least mg/l should be placed in
•	the water supply for at least hours.
	** *
•	consecutive bacteriological water samples must be taken at least hours apart when:
	1
	2
	3
•	Confirmation of fecal coliform bacteria in the water supply is deemed an
	Confirmation of total coliform bacteria in the water supply is
	deemed
•	When confirmation of fecal coliform bacteria, issue an <u>immediate suspension/intent to suspend</u> .
	(circle one)
•	IJV light can/cannot be used for continuous disinfection (circle one)